

Model: AC4 ENDLESS 1L BROOKLYN
Codes: 100199491
Group: G-210
Format: 24,4X126,1X0,8



COMPOSITION

	Size	Material	Type of material
Layer 1	0.2	Melamine	Aminoplastic thermosetting resins
Layer 2	0.2	Decorative paper	
Layer 3	8	HDF	High-density Fiber Board and water-repellent glues
Layer 4		Backside	Sheets of kraft paper impregnated with phenolic resins

CERTIFICATIONS

Carb certification

CARB: Phase II compliant

FEATURES

Boards that have continuity between them, thus achieving the optical effect of much longer formats

Beveled cut on the long sides of the board in order to create a continuity effect

5 year warranty for commercial use valid for laminate floors that have been installed in rooms where they are exposed to normal wear and tear for their recommended End Use Category in accordance with EN 13329.

Format where only one board has been used to finish the entire base surface

PanEuropean Forest Certification that guarantees to consumers the origin of the products from sustainably managed forests

23. Intensive residential

Abrasion-resistance level as per Standard UNE-EN 13329

Imitates the surface of wood

Installation system where gluing the boards to the floor is not necessary. They are placed on a foam, joined together, as long as the product does not already have a foil on the back of the piece.

20 year warranty for domestic use valid for laminate floors that have been installed in rooms where they are exposed to normal wear and tear for their recommended End Use Category in accordance with EN 13329.

Is suitable for installing on water radiant heating

Safety and joint durability are the main features of this easy installation system that guarantees the elimination of gaps between boards throughout the floor's lifetime. The pressure exerted between boards reinforces the union and prevents it from being carried out incorrectly.

32. General commercial

It is advisable to follow the installation and maintenance instructions published by L'ANTIC COLONIAL, S.A.U., observing in any case the legal or regulatory requirements that may exist for each area of use. Do not use aggressive cleaning agents, such as acids, or metallic or sharp elements. In public places, this material must comply with the slipperiness requirements of the Spanish Technical Building Code. This document is purely commercial and may not be used in any legal or administrative proceedings, neither as an expert opinion nor as documentary evidence, unless expressly authorized by L'ANTIC COLONIAL, S.A.U.

01/03/2023

1/2

DIMENSIONAL FEATURES		
Item thickness	≤0.50 mm	EN 13329*
Length of face	≤0.50 mm	EN 13329*
Width of face	≤0.20 mm	EN 13329*
Squareness of the item (q)	≤0.20 mm	EN 13329*
Straightness of face	≤0.30 mm/m	EN 13329*
Flatness of item (f)	fw,Cóncavo≤0.50% fw,Convexo≤1%/fl,Cóncavo≤0.15% fl,Convexo≤0.20%	EN 13329*
Joint between items	≤0.20 mm	EN 13329*
Difference in height among items	≤0.15 mm	EN 13329*
Dimensional variations related to changes in relative moisture	≤0.90 mm	EN 13329*
Uv light fastness	≥4	EN 438-2,16*

LABORATORY TESTS		
Resistance to abrasion	AC4	UNE EN 13329:2000*
Impact resistance	IC2	EN 13329*
Resistance to staining	Grado 5 (G 1 y 2) y Grado 4 (G 3)	EN 438*
Resistance to cigarette burns	4	EN 438*
Furniture leg effect	No damage	EN 424*
Castor chair effect	No damage	EN 425*
Swelling in thickness	≤18%	UNE-EN 13329:2000*
Dimensional stability	0.03%	EN 434:1994*
Formaldehyde emissions	E1	EN 717*
Slip resistance (pendulum-wet)	CL 1 (33)	UNE 41901*
Tensile strength of joints	F≥1 kN/ml	EN 13329*
Fire resistance	Cfl-s1	EN 13501*
Evaluation of propensity to accumulation of electrostatic charges	1.2 kV	ISO 1815*
Heat resistance	R=0.057 m2 K/W	ISO 8302*
Curvature	0.06 mm	
Swelling in thickness	≤18%	ASTM D 1037*
Slip resistance (dcof)	0.58	ANSI A137.1*
Critical radiant flux	Cfl	EN ISO 9239-1*
Smoke density (burning)	s1	EN 13501-1*
Density of the board	925 ±5 KG/M3	UNE EN 323*
Slip resistance (pendulum-dry)	CL 3 (52)	UNE 41902*

PACKING		
Sales units per box	2.461472 M2/BOX	
Sales units per pallet	73.844159 M2/PAL	
Sales units per unit	0.307684 M2/PIECE	
Sale unit	M2	
Base unit	ST	
Sales units per square meter	1 M2	
Net weight	7.696208 KG/M2	
Gross weight	7.995216 KG/M2	

SPECIAL PIECES									
SAP	Description	Group	Boxes	Pallet	Units	SKU	Basic Unit	Net Weight	Gross weight
100153849	IGUALACION ENDLESS 1L BROOKLYN 4X270X1	G-155	20 PIECES/BOX	1000 PIECES/PAL	9.26 PIECES/M2	-	-	0.77 KG/PIECES	0.8 KG/PIECES
100176679	MAMPERLAN AC4 ENDLESS 1L BROOKLYN7X120X3	G-163	2 PIECES/BOX	200 PIECES/PAL	11.9 PIECES/M2	-	-	1.58 KG/PIECES	1.64 KG/PIECES
100153886	TRANSICION ENDLESS 1L BROOKLYN 4X270X1	G-155	20 PIECES/BOX	1000 PIECES/PAL	9.26 PIECES/M2	-	-	0.77 KG/PIECES	0.77 KG/PIECES
100153893	ZOCALO ENDLESS 1L BROOKLYN 8X220X1,5	G-107	14 PIECES/BOX	560 PIECES/PAL	5.68 PIECES/M2	-	-	1.8 KG/PIECES	1.86 KG/PIECES

